


3D Models of Lighting Fixtures

Michal Macek
3D designer

phone: +420 603 414 166
email: maximuschandeliers@gmail.com
web: www.maximus.cz
address: Frostova 335
109 00 Prague 10
Czech Republic



2002 01/01

table light

Dimensions

diameter	190 mm
height	230 mm
weight	0,5 kg

Material / Colour

enclosure material	brass (shade - textile, plastic)
enclosure colour	polished brass
glass	-

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish



2002 01/02

table light

Dimensions

diameter	190 mm
height	360 mm
weight	1,0 kg

Material / Colour

enclosure material	brass (shade - textile, plastic)
enclosure colour	polished brass
glass	pressed

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14



brass finish



chrome finish

For this product is available
3D model



brass finish



chrome finish

7030 01-2552S

table light

Dimensions

diameter	115 mm
height	306 mm
weight	1,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14

For this product is available
3D model



2030 01/01-184

table light

Dimensions

diameter	110 mm
height	200 mm
weight	0,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14



brass finish



chrome finish

For this product is available
3D model



brass finish



chrome finish

2030 01/02-505

table light

Dimensions

diameter	110 mm
height	300 mm
weight	1,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14

For this product is available
3D model



2030 01/03-669

table light

Dimensions

diameter	110 mm
height	400 mm
weight	1,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14



brass finish



chrome finish

For this product is available
3D model



2030 01/07-2552S

table light

Dimensions

diameter	147 mm
height	240 mm
weight	0,8 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish



brass finish



chrome finish

2030 01/09-2552S

table light

Dimensions

diameter	147 mm
height	285 mm
weight	1,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	E14

For this product is available
3D model



4036 01-669SW

wall light

Dimensions
width, depth
height
weight

120, 190 mm
260 mm
0,8 kg

Material / Colour
enclosure material
enclosure colour
glass

brass
polished brass
crystal up to 24% PbO

Technical Information
protection degree
operation voltage
max. wattage
socket type

IP20
220-240V
1x40W
E14



brass finish



chrome finish

For this product is available
3D model

2018 01-184S

wall light

Dimensions
width, depth
height
weight

220, 120 mm
320 mm
1,1 kg

Material / Colour
enclosure material
enclosure colour
glass

brass
polished brass
crystal up to 24% PbO

Technical Information
protection degree
operation voltage
max. wattage
socket type

IP20
220-240V
1x40W
E14

For this product is available
3D model



brass finish



chrome finish



7029 01-2552S

wall light

Dimensions

width, depth

150, 240 mm

height

300 mm

weight

1,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

1x60W

socket type

E27



brass finish



chrome finish

For this product is available
3D model



7030 04/48-2552S

pendant light

Dimensions

diameter

500 mm

height

430 mm (or on request)

weight

2,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

4x60W

socket type

E27



brass finish



chrome finish

For this product is available
3D model



7027 07-2552S

pendant light

Dimensions

diameter

530 mm

height

530 mm (or on request)

weight

6,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

7x60W

socket type

E27



brass finish



chrome finish

For this product is available
3D model



6080 01/65-184/35S

pendant light

Dimensions

diameter	150 mm
height	660 mm (or on request)
weight	1,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	1x40W
socket type	G9



brass finish



chrome finish

For this product is available
3D model



brass finish



chrome finish

6010 01-669S

pendant light

Dimensions

diameter

340 mm

height

680 mm (or on request)

weight

2,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

4x60W

socket type

E27

For this product is available
3D model



6080 06/13-2552S

pendant light

Dimensions

diameter	460 mm
height	340 mm
weight	2,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	6x40W
socket type	E14



brass finish



chrome finish

For this product is available
3D model



brass finish



chrome finish

4002 05-1007SW

pendant light

Dimensions

diameter

530 mm

height

450 mm (excl. chain)

weight

3,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

5x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

4047 15P-516/1SW ZS

pendant light

Dimensions

diameter

820 mm

height

730 mm (excl. chain)

weight

17,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

15x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

4074 24P-669/1S

pendant light

Dimensions

diameter

112 mm

height

103 mm (excl. chain)

weight

40,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

24x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

4098 08-669SW

pendant light

Dimensions

diameter	560 mm
height	450 mm (excl. chain)
weight	5,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	8x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 06/28-669SW

pendant light

Dimensions

diameter

630 mm

height

440 mm (excl. chain)

weight

6,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

6x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 03/03-100S

pendant light

Dimensions

diameter	500 mm
height	390 mm (excl. chain)
weight	3,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	3x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 03/07-100S

pendant light

Dimensions

diameter	500 mm
height	390 mm (excl. chain)
weight	3,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	3x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 03/21-415S

pendant light

Dimensions

diameter	500 mm
height	420 mm (excl. chain)
weight	4,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	3x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 04/17-147S

pendant light

Dimensions

diameter

500 mm

height

410 mm (excl. chain)

weight

4,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

4x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 04/17-147SA

pendant light

Dimensions

diameter

500 mm

height

450 mm (excl. chain)

weight

4,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

4x40W

socket type

E14

For this product is available
3D model

7030 06/01-100S

pendant light

Dimensions

diameter

500 mm

height

390 mm (excl. chain)

weight

4,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

6x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 06/01-147S

pendant light

Dimensions

diameter

500 mm

height

420 mm (excl. chain)

weight

4,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

6x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 06/11-147S

pendant light

Dimensions

diameter

500 mm

height

460 mm (excl. chain)

weight

4,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

6x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 06/11-415S

pendant light

Dimensions

diameter

500 mm

height

420 mm (excl. chain)

weight

4,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

6x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish



7030 06/19-415S

pendant light

Dimensions

diameter

620 mm

height

430 mm (excl. chain)

weight

6,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

6x40W

socket type

E14



brass finish



chrome finish

For this product is available
3D model



brass finish



chrome finish

7030 06/19-415SA

pendant light

Dimensions

diameter

620 mm

height

430 mm (excl. chain)

weight

6,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

6x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 08/12-415S

pendant light

Dimensions

diameter

500 mm

height

430 mm (excl. chain)

weight

7,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

8x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 08/19-147SA

pendant light

Dimensions

diameter	620 mm
height	450 mm (excl. chain)
weight	7,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	8x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 08/19-415SA

pendant light

Dimensions

diameter

620 mm

height

450 mm (excl. chain)

weight

7,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

8x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 10/13-147SA

pendant light

Dimensions

diameter	700 mm
height	550 mm (excl. chain)
weight	8 kg

Material / Colour

enclosure material
enclosure colour
glass

brass
polished brass
crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	10x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 10/13-415SA

pendant light

Dimensions

diameter

700 mm

height

510 mm (excl. chain)

weight

8 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

10x40W

socket type

E14

For this product is available
3D model

7030 12/05-100S

pendant light

Dimensions

diameter

700 mm

height

620 mm (excl. chain)

weight

9,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

12x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish



7030 12/06-415S

pendant light

Dimensions

diameter

700 mm

height

490 mm (excl. chain)

weight

9,0kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

12x40W

socket type

E14



brass finish



chrome finish

For this product is available
3D model



brass finish



chrome finish

7030 12/06-415SA

pendant light

Dimensions

diameter	700 mm
height	530 mm (excl. chain)
weight	13,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	12x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 12/34-147S

pendant light

Dimensions

diameter

980 mm

height

680 mm (excl. chain)

weight

15,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

12x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 15/23-415S

pendant light

Dimensions

diameter

700 mm

height

670 mm (excl. chain)

weight

14,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

15x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 16/04-100S

pendant light

Dimensions

diameter	700 mm
height	620 mm (excl. chain)
weight	11,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	16x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 16/04-415SA

pendant light

Dimensions

diameter	700 mm
height	650 mm (excl. chain)
weight	14,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	16x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 16/20-415S

pendant light

Dimensions

diameter

720 mm

height

540 mm (excl. chain)

weight

16,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

16x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 16/34-147S

pendant light

Dimensions

diameter

980 mm

height

680 mm (excl. chain)

weight

18,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

16x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 18/09-415S

pendant light

Dimensions

diameter

700 mm

height

670 mm (excl. chain)

weight

20,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

18x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish

7030 18/18-415/1SW

pendant light

Dimensions

diameter	980 mm
height	870 mm (excl. chain)
weight	27,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	18x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

7030 30/10-415S

pendant light

Dimensions

diameter	980 mm
height	980 mm (excl. chain)
weight	31,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	30x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish

6080 01/70-1007S

pendant light

Dimensions

diameter

340 mm

height

510 mm (excl. chain)

weight

2,5 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

1x60W

socket type

E27

For this product is available
3D model



6080 45/156N

ceiling light

Dimensions

diameter	600 mm
height	5500 mm
weight	100,0 kg

Material / Colour

enclosure material	brass, steel
enclosure colour	polished chrome
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	45xLED6W
socket type	G9

For this product is available
3D model



6080 03/19-2552S

ceiling light

Dimensions

diameter

310 mm

height

170 mm

weight

2,0 kg

Material / Colour

enclosure material

brass

enclosure colour

polished brass

glass

crystal up to 24% PbO

Technical Information

protection degree

IP20

operation voltage

220-240V

max. wattage

3x40W

socket type

E14

For this product is available
3D model



brass finish



chrome finish



6080 03/92-2552S

ceiling light

Dimensions

diameter	310 mm
height	150 mm
weight	2,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	3x40W
socket type	E14



brass finish



chrome finish

For this product is available
3D model



6080 03/93-2552S

ceiling light

Dimensions

diameter	310 mm
height	170 mm
weight	2,0 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	3x40W
socket type	E14



brass finish



chrome finish

For this product is available
3D model



6080 03/101-115S

ceiling light

Dimensions

diameter	300 mm
height	220 mm
weight	1,5 kg

Material / Colour

enclosure material	brass
enclosure colour	polished brass
glass	crystal up to 24% PbO

Technical Information

protection degree	IP20
operation voltage	220-240V
max. wattage	3x40W
socket type	E14

For this product is available
3D model



brass finish



chrome finish